Carbohydrate Research, 226 (1992) c15–c17
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents: Phys., Chem. & Earth Sci.; Life Sci. Full texts are incorporated in CJELSEVIER, *a file in the Chemical Journals Online database which is available on STN® International.)*

Primary structure of four human milk octa-, nona-, and undeca-saccharides established by ^{1}H- and ^{13}C-nuclear magnetic resonance spectroscopy
G. Strecker, S. Fièvre, J.-M. Wieruszeski, J.-C. Michalski, and J. Montreuil (Villeneuve d'Ascq, France) 1

Elucidation of the structure and conformation of a methylated tetrasaccharide-alditol acetate by n.m.r. spectroscopy
A. De Marco (Milano, Italy), P. Gariboldi (Camerino, Italy), H. Molinari, and L. Verotta (Milano, Italy) 15

Crystal structure and n.m.r. analysis of lactulose trihydrate
G. A. Jeffrey, D.-b. Huang (Pittsburgh, PA, U.S.A.), P. E. Pfeffer, R. L. Dudley, K. B. Hicks (Philadelphia, PA, U.S.A.), and E. Nitsch (Linz, Austria) 29

The crystal structure of lithium L-ascorbate dihydrate
A. E. Koziol, K. Stepniak (Lublin, Poland), and T. Lis (Wroclaw, Poland) 43

Regio- and stereo-selective synthesis of carbohydrate isoxazolidines by 1,3-dipolar cycloaddition of nitrones to 5,6-dideoxy-1,2-*O*-isopropylidene-α-D-*xylo*-hex-5-enofuranose
U. A. R. Al-Timari, Ľ. Fišera, I. Goljer, and P. Ertl (Bratislava, Czechoslovakia) 49

Radical cyclisation of hept-1-enitols
H. Redlich, W. Sudau, A. K. Szardenings, and R. Vollerthun (Münster, Germany) 57

Synthesis and enzyme-inhibitory activity of methyl acarviosin analogues having the α-*manno* configuration
S. Ogawa and Y. Nakamura (Yokohama, Japan) 79

Synthesis of oligosaccharides containing the X-antigenic trisaccharide (α-L-Fuc*p*-(1→3)-[β-D-Gal*p*-(1→4)]-β-D-Glc*p*-NAc) at their nonreducing ends
R. K. Jain and K. L. Matta (Buffalo, NY, U.S.A.) 91

Synthesis and characterization of 6-*O*-β-lactosyl-α,β-lactoses, 1-*O*-(6-*O*-β-lactosyl-β-lactosyl)-(*R*,*S*)-glycerols, and 4,6-di-*O*-β-D-galactopyranosyl-α,β-D-glucoses
L. J. J. Hronowski, W. A. Szarek, G. W. Hay, A. Krebs, and W. T. Depew (Kingston, Ont., Canada) 101

Enzymatic synthesis of low molecular weight amyloses with modified terminal groups
C. Niemann, W. Saenger (Berlin, Germany), and B. Pfannemüller (Freiburg, Germany) . 119

Evidence that the acidic polysaccharide secreted by *Agrobacterium radiobacter* (ATCC 53271) has a seventeen glycosyl-residue repeating unit
M. A. O'Neill (Athens, GA, U.S.A.), P. D. Robison, K. J. Chou (Beacon, NY, U.S.A.), A. G. Darvill, and P. Albersheim (Athens, GA, U.S.A.) 131

Elongation of both branches of biantennary backbones of oligo-(*N*-acetyllactosamino)glycans by human serum (1→3)-*N*-acetyl-β-D-glucosaminyltransferase
A. Vilkman, R. Niemelä, L. Penttilä, J. Helin, A. Leppänen, A. Seppo, H. Maaheimo, S. Lusa, and O. Renkonen (Helsinki, Finland) 155

Notes

An n.m.r. analysis of 1,2-*O*-isopropylidene-3-*O*-methyl-α-D-allofuranose and 1,2:5,6-di-*O*-isopropylidene-3-*O*-methyl-α-D-allofuranose, and the X-ray structure of the former
E. Lee, N. Melody, P. McArdle, and D. Cunningham (Galway, Ireland) 175

A spectroscopic study of amylose–Rose Bengal complexes
W. Maciejewska, K. Polewski, and M. Grundwald-Wyspiańska (Poznań, Poland) 179

A general radical-mediated stereoselective route for the construction of chiral furo[2,3-*b*]furans from D-xylose
G. V. M. Sharma and S. R. Vepachedu (Hyderabad, India) 185

Preliminary communication

Conformational analysis of 6-deoxy-6-fluoro-D-glucopyranose, 6-deoxy-6-fluoro-D-galactopyranose, and 4-deoxy-4-fluoro-D-glucopyranose in solution by ^{1}H-n.m.r. spectroscopy
R. J. Abraham, E. J. Chambers (Liverpool, Gt. Britain), and W. A. Thomas (Welwyn Garden City, Gt. Britain) c1

Papers

Positional identification of fluorine in methyl per-*O*-acetyl-x-deoxy-x-fluoro-α-D-hexopyranosyl by electron impact and chemical ionisation mass spectrometry
V. Kováčik (Bratislava, Czechoslovakia), P. Kováč (Bethesda, MD, U.S.A.), and H.-F. Grützmacher (Bielefeld, Germany) 189

N.m.r. study on the formation and geometry of inclusion complexes of 6-*O*-(α-maltosyl)cyclomaltohexaose and -heptaose with *p*-nitrophenol in aqueous solution
Y. Inoue, Y. Kanda, Y. Yamamoto (Tokyo, Japan), and S. Kobayashi (Ibaraki, Japan) . 197

Isotope-edited 1D and 2D n.m.r. spectroscopy of ^{13}C-substituted carbohydrates
J. Wu and A. S. Serianni (Notre Dame, IN, U.S.A.) 209

Combined chemical-enzymic synthesis of a dideoxypentasaccharide for use in a study of the specificity of *N*-acetylglucosaminyltransferase-III
K. J. Kaur and O. Hindsgaul (Edmonton, Alta., Canada) 219

Synthesis of methyl 2,4-di-*O*-methyl-3-*O*-(2-*O*-methyl-α-L-rhamnopyranosyl)-α-L-rhamnopyranoside and methyl 2,4-di-*O*-methyl-3-*O*-[2-*O*-methyl-3-*O*-(2-*O*-methyl-α-L-fucopyranosyl)-α-L-rhamnopyranosyl]-α-L-rhamnopyranoside: di- and tri-saccharide segments of a phenolic glycolipid of *Mycobacterium kansasii*
M. K. Gurjar and K. R. Reddy (Hyderabad, India) 233

Synthesis and antitumour activity of derivatives of curdlan and lichenan branched at C-6
S. Demleitner, J. Kraus, and G. Franz (Regensburg, Germany) 239

Synthesis and antitumour activity of sulfoalkyl derivatives of curdlan and lichenan
S. Demleitner, J. Kraus, and G. Franz (Regensburg, Germany) 247

The periodate oxidation of sucrose in aqueous *N,N*-dimethylformamide
D. de Wit, R. van den Berg, L. A. M. Johansson, F. van Rantwijk, L. Maat, and A. P. G. Kieboom (Delft, The Netherlands) 253

Multiply ^{13}C-substituted monosaccharides: synthesis of D-(1,5,6-$^{13}C_3$)glucose and D-(2,5,6-$^{13}C_3$)-glucose
J. Wu, A. S. Serianni (Notre Dame, IN, U.S.A.), and P. B. Bondo (South Bend, IN, U.S.A.) 261

Photoaddition reactions of 3-nitro-2-enopyranoside derivatives in 1,3-dioxolane
T. Sakakibara, A. Takaide, and A. Seta (Yokohama, Japan) 271

Structures of amylose subfractions with different molecular sizes
Y. Takeda, N. Maruta, and S. Hizukuri (Kagoshima, Japan) 279

Structures of the pectic polysaccharides from the cell walls of kiwi fruit
R. J. Redgwell (Auckland, New Zealand), L. D. Melton, D. J. Brasch (Dunedin, New Zealand), and J. M. Coddington (Auckland, New Zealand) 287

Structural features of a water-soluble arabinoxylan from the endosperm of wheat
R. A. Hoffmann, J. P. Kamerling, and J. F. G. Vliegenthart (Utrecht, The Netherlands) . 303

Analysis of *Macrocystis pyrifera* and *Pseudomonas aeruginosa* alginic acids by the reductive-cleavage method
S. G. Zeller and G. R. Gray (Minneapolis, MN, U.S.A.) 313

Notes

Mass spectra of some di-D-fructose dianhydride derivatives
M. Manley-Harris and G. N. Richards (Missoula, MT, U.S.A.) 327

Synthesis of methyl *O*-α-L-fucopyranosyl-(1→2)-*O*-β-D-galactopyranosyl-(1→3)-2-acetamido-2-deoxy-β-D-glucopyranoside using 2,3,4-tri-*O*-benzoyl-α-L-fucopyranosyl bromide as the α-L-fucosylating agent
N. E. Nifant'ev, A. S. Shashkov, and N. K. Kochetkov (Moscow, U.S.S.R.) 331

Ethylenic acetals of sucrose and their copolymerization with vinyl monomers
E. Fanton, C. Fayet, J. Gelas (Aubière, France), D. Jhurry, A. Deffieux, and M. Fontanille (Talence, France) 337

Chemical synthesis of 4-deoxy-(1→6)-α-D-*xylo*-hexopyranan and 3,4-dideoxy-(1→6)-α-D-*erythro*-hexopyranan
M. Okada, A. Banno, and H. Sumitomo (Nagoya, Japan) 345

Structures of pectic polysaccharides isolated from the Siberian apricot (*Armeniaca siberica* Lam.)
P. Odonmažig, D. Badga (Ulan-Bator, Mongolia), A. Ebringerová, and J. Alföldi (Bratislava, Czechoslovakia) 353

Announcement c7

Author index c9

Subject index c11

Contents (Volume 226) c15